

सी पी आर आई
भारत

**CPRI
INDIA**

परीक्षण रिपोर्ट
TEST REPORT



टिप्पणी :

- अ) यह अनुपालन प्रमाणपत्र नहीं है।
- आ) परीक्षण परिणाम केवल परीक्षित वस्तुओं से संबंधित है।
- इ) पूरी रिपोर्ट का सम्पूर्ण सेट व जिस भाषा में वह लिखी गई हो, उसको छोड़कर किसी अन्य रूप में इस रिपोर्ट का प्रकाशन अथवा पुनः प्रस्तुति सी. पी. आर. आई. की लिखित सहमति के बिना अनुमत नहीं है।
- ई) सुधार करने / मिटाने से परीक्षण अमान्य बनेगा।
- उ) परीक्षण रिपोर्ट में छपी किसी भी असंगति / विसंगति को, जारी के दिनांक के 45 दिनों के अंदर सी. पी. आर. आई. के ध्यान में लाए।

NOTE :

- a) *This is not a certificate of compliance.*
- b) *The test results relate only to the items tested.*
- c) *Publication or reproduction of this report in any form other than by complete set of the whole report and in the language written, is not permitted without the written consent of CPRI*
- d) *Corrections / erasings invalidate the test report.*
- e) *Any anomalies / discrepancies in the test report should be brought to CPRI notice within 45 days from the date of issue.*



हिन्दी में काम देश का सम्मान
केन्द्रीय विद्युत अनुसंधान संस्थान

(भारत सरकार की सोसाइटी, विद्युत मंत्रालय)

प्रो. सर. सी. वी. रामन रोड सदाशिवनगर डाक घर, पो.बा.सं. 8066, बंगलूर - 560 080

CENTRAL POWER RESEARCH INSTITUTE

(A Govt of India Society, Min. of Power)

Prof. Sir C. V. Raman Road, Sadashivanagar P.O., P.B. No. 8066, BANGALORE - 560 080, INDIA.

फोन: का.:
Phone: off : 91 80
फैक्स:
Fax : 91 80

CPR/ECDD/SPV/09

08/12/2009

To,

M/s. Silicon Solar Systems
#46-790, Near Saibaba Temple,
Bhagat Singh Nagar, Chintal
Hyderabad -500 054

Dear Sir,

Please find enclosed the test report for the following:

1. Solar Street Lighting Systems – 1 No.


Please acknowledge the receipt of the test report. Thank you for utilizing our services.

Corrections, if any, in the report may please be brought to our notice within 45 days from the date of issue of the report.

Kindly arrange to take back the equipment tested within 15 days, failing which the same will be disposed off.

Thanking you,

Yours Sincerely,


(M. Siddhartha Bhátt)
Additional Director

- Copy to: (1) **Dr. Bibek Bandyopadhyay**
Adviser and Head,
SEC, MNRE, Block 14, CGO Complex,
Lodhi Road, New Delhi.
- (2) **Dr. O.S.Sastry,**
Director, (SPV Demo. and R&D)
MNRE, Block 14, CGO Complex,
Lodhi Road, New Delhi.



Member - STL



ASTA BEAB
Accredited



UL
Approved



CSA
Approved

**CENTRAL POWER RESEARCH INSTITUTE
ENERGY CONSERVATION AND DEVELOPMENT DIVISION**



TEST REPORT

SL. No.	Particulars	Details
01	Test report no.	CPRI/ECDD/SPV/1017/2009
02	Date	08/12/2009
03	Client's address	M/s. Silicon Solar Systems #46-790, Near Saibaba Temple, Bhagat Singh Nagar, Chintal Hyderabad -500 054
04	Reference	Nil, dated 19/10/2009
05	Manufacturers address	Same as above
06	Reference	--
07	Sample tested	Street Lighting System
08	Designation	--
09	Configuration	--
10	Identification no.	ECDD/SPV/964/09
11	Serial no.	SSS/17
12	Date (s) of the test	19/10/2009 to 4/12/2009
13	No. of samples tested	One
14	Test in accordance with standards/specifications	MNRE Specifications 2009-2010
15	Client's requirement	Nil
16	Deviation (if any)	Nil
17	Name of the witnessing persons	Nil
18	Clients representative	Nil
19	Other than clients representative	Nil
20	No. of pages (including this page)	Four
21	No. of oscillograms	Nil
22	No. of drawings	Nil
23	No. of graphs	Nil
24	No. of photos	Nil
25	Whether Original Manufacturer/Not?	Yes


Test In-charge




(M. Siddhartha Bhatt)
Additional Director

NOTE:

- This is not a certificate of compliance.
- These test results relate only to the items tested, which are selected and submitted by the client mentioned above.
- The data reported in this test report are valid at the time of and under the stipulated conditions of measurements.
- Publications or reproduction of this report in any form other than by complete set of the whole report and in the language written is not permitted without consent of CPRI.
- Correction/erasing invalidate the test report.

Total no. of pages	Page no.	Code no.
4	1	1017



TEST RESULTS

SL. No.	Test description	Observations	Requirement as per MNRE specifications 2009-2010	Remarks
1.0 PV MODULE				
1.1	Type of module	Poly crystalline silicon	Mono or poly crystalline silicon	See below*
1.2	Manufacturer	M/s. Ushodaya Solar Systems.		
1.3	SL. No.	06092006		
1.3	Module configuration	1 x 74 W	One 74 W module or Two 37 W modules.	
1.4	Peak power at 16.4 V	74.39Wp	74 W or 2 x 37 W	
2.0 LAMP				
2.1	Make	M/s. Indo Asian		
2.2	Power	11 W	11 W CFL	
2.3	No. of Pins	Four pin	2 or 4 pins	
2.4	Light output			
	(a) Prior to 1000 on/off cycles	882 Lumen	900 \pm 5% lumen	
	(b) After 1000 on/off cycles	876 Lumen	Less than \pm 10 % of the measured value (a)	
3.0 BATTERY				
3.1	Make	M/s. Exide		
3.2	Type of battery	Lead acid tubular plate	Lead acid tubular plate	
3.3	Capacity at C/10 discharge rate (12V)	75Ah	75 AH.	
3.4	% of rated capacity between battery high and low	Conforms	75 %	

* Vide test report No. T-60140/1 dated 30/06/09 issued by ETDC, Bangalore.


Test In-charge


Test Engineer

Total no. of pages	Page no.	Code no.
4	2	1017



TEST RESULTS

SL. No.	Test description	Observations	Requirement as per MNRE specifications 2009-2010	Remarks
4.0 ELECTRONICS				
<i>Inverter</i>				
4.1	Wave form type	Quasi sine Wave	Sine or Quasi Sine wave	
4.2	Crest factor	1.684	Less than 1.7	
4.3	Frequency	22.46 kHz	20 - 35 kHz	
4.4	Efficiency	82.07 %	≥80 %	
4.5	Preheating Arrangement	Provided	Required for 4 pin lamp only	
4.6	Idle current	8.414 mA	Less than 10 mA	
4.7	PCB installation	Solder free	Solder free	
4.8	Battery Temperature compensation	Provided	Required	
5.0 PROTECTION				
5.1	No load protection	Provided	Required	
5.2	Short circuit	Provided	Required	
5.3	Reverse polarity	Provided	Required	
5.4	Reverse flow protection (blocking diode)	Provided	Required	
<i>Battery protection</i>				
5.5	Low voltage cut off	Provided	Required	
5.6	Load reconnect	Provided	Required	
5.7	Over charge cut off	Provided	Required	
5.8	Module reconnect	Provided	Required	


Test In-charge


Test Engineer

Total no. of pages	Page no.	Code no.
4	3	1017



TEST RESULTS

SL. No.	Test description	Observations	Requirement as per MNRE specifications 2009-2010	Remarks
6.0 Other features				
6.1	Duty cycle	Qualifies	Required to qualify	
6.2	Indicators	Provided	Required	
6.3	Switch and cable	Provided	Required	
6.4	Marking on lighting system	Provided	Required	
6.5	Marking on modules	Provided	Required	
6.6	Manual	Provided	Required	
6.7	Warranty			
	(a) Module	Provided	10 years	
	(b) Street lighting system	Provided	2 years	

Conclusions: It is endorsed that the Solar Street Lighting System submitted by M/s. Silicon Solar Systems qualifies the MNRE Specification 2009-2010 and M/s. Silicon Solar System is the original manufacturer of Electronics.


Test In-charge


Test Engineer

Total no. of pages	Page no.	Code no.
4	4	1017

सी.पी.आर.आई. संघटन
CPRI FORMATIONS

बेंगलूर

केन्द्रीय विद्युत अनुसंधान संस्थान
प्रो.शर सी.वी. रामन रोड, स्वदेशिनगर, डाक घर: पो.बा. सं.8066
बेंगलूर - 560 080, भारत
इपीएबीएक्स : +91 80 2360 2919, 0921, 1258, 2919
1442, 1454, 2915
फैक्स : +91 80 2360 1213
वेबसाइट : <http://www.cpri.in>

भोपाल

स्विचगियर परीक्षण एवं विकास केन्द्र
केन्द्रीय विद्युत अनुसंधान संस्थान
मोविन्दपुर, भोपाल - 462 023, मध्य प्रदेश
फोन : +91 755 2586997, 2586343
फैक्स : +91 755 2587774

हैदराबाद

अति उच्च वोल्टता अनुसंधान प्रयोगशाला
केन्द्रीय विद्युत अनुसंधान संस्थान
पो.बा. सं.9, उप्पाल, वरंगल राजमार्ग,
हैदराबाद - 500 039, आंध्र प्रदेश, भारत
फोन : +91 40 27208067, 2720 3622
फैक्स : +91 40 2720 3378

नोएडा

क्षेत्रीय परीक्षण प्रयोगशाला
केन्द्रीय विद्युत अनुसंधान संस्थान
सं. 3A, इन्स्टिट्यूशनल एरिया, सेक्टर 62,
नोएडा - 201 309, उत्तर प्रदेश, भारत
फोन : +91 120 2402823
फैक्स : +91 120 2402824

नागपुर

ताप अनुसंधान केन्द्र
केन्द्रीय विद्युत अनुसंधान संस्थान
कोरडी, नागपुर (जिला) - 441 111, महाराष्ट्र, भारत
फोन : +91 7109 262255, 262251-53
फैक्स : +91 7109 262170

कोलकता

क्षेत्रीय परीक्षण प्रयोगशाला
केन्द्रीय विद्युत अनुसंधान संस्थान
पेहला मजिल, सी टी डी कार्यशाला, इक्ल्यू बी एस ई बी
उमीक्षण कैम्पस, बी एल ब्लॉक
उमीक्षण बिल्डिंग, सेक्टर - V, साल्ट लेक सिटी
कोलकता - 700 091, भारत
टेली / फैक्स +91 33 64511887

गुवाहाटी

क्षेत्रीय परीक्षण प्रयोगशाला
केन्द्रीय विद्युत अनुसंधान संस्थान, ए एस ई बी कॉलोनी
नारंगी, गुवाहाटी - 781 026, असम, भारत
टेली / फैक्स +91 0361 2650299

BANGALORE

Central Power Research Institute
Prof. Sir C.V. Raman Road, Post Box No: 8066
Sadashivanagar (P.O.)
Bangalore - 560 080, INDIA
EPABX : + 91 80 2360 2919, 0921, 1258, 2919
1442, 1454, 2915
Fax : + 91 80 2360 1213
Website : <http://www.cpri.in>

BHOPAL

SWITCHGEAR TESTING & DEVELOPMENT STATION
Central Power Research Institute
Govindpura, Bhopal - 462 023
Madhya Pradesh, INDIA
Phone : +91 755 2586997, 2586343
Fax : +91 755 2587774

HYDERABAD

ULTRA HIGH VOLTAGE RESEARCH LABORATORY
Central Power Research Institute
P.B. No.9, Uppal, Warangal Highway,
Hyderabad - 500 039
Andhra Pradesh State, INDIA
Phone : +91 40 27208067, 2720 3622
Fax : +91 40 2720 3378

NOIDA

REGIONAL TESTING LABORATORY
Central Power Research Institute
No. 3A, Institutional Area, Sector 62
Noida - 201 309, Uttar Pradesh, INDIA
Phone : +91 120 2402823
Fax : +91 120 2402824

NAGPUR

THERMAL RESEARCH CENTRE
Central Power Research Institute
Koradi, Nagpur (dist) - 441 111
Maharashtra State, INDIA
Phone : +91 7109 262255, 262251-53
Fax : + 91 7109 262170

KOLKATA

REGIONAL TESTING LABORATORY
Central Power Research Institute
1st Floor, CTD workshop, WBSEB
Abhikshan Campus, B.N Block
Abhikshan Building, Sector V
Salt Lake city, Kolkata - 700 091, INDIA
Tel/Fax : +91 33 64511887

GUWAHATI

REGIONAL TESTING LABORATORY
Central Power Research Institute
ASEB Colony, Narangi, Guwahati - 781 028, Assam, INDIA
Tel/Fax : +91 0361 2650299



केन्द्रीय विद्युत अनुसंधान संस्थान
CENTRAL POWER RESEARCH INSTITUTE

प्रो.सर सी.वी. रामन रोड, सदाशिवनगर, डाक घर, पो.बा. सं.8066

बेंगलूर - 560 080, भारत

Prof. Sir C.V. Raman Road, Post Box No. : 8066, Sadashivanagar (P.O.)
Bangalore : 560 080, INDIA

ईपीएबीएक्स / EPABX : +91 80 2360 2919, 0921, 1258, 2919, 1442, 1454, 2915

फैक्स / Fax : +91 80 2360 1213

वेब साइट / Website : <http://www.cpri.in>